

## FreeNAS - Bug #25

### Strip out all the non-core ports

11/17/2010 04:59 AM - Anonymous

<b>Status:</b>	Closed	
<b>Priority:</b>	Critical	
<b>Assignee:</b>		
<b>Category:</b>	Middleware	
<b>Target version:</b>		
<b>Seen in:</b>		<b>Needs Merging:</b> Yes
<b>Severity:</b>	New	<b>Needs Automation:</b> No
<b>Reason for Closing:</b>		<b>Support Suite Ticket:</b> n/a
<b>Reason for Blocked:</b>		<b>Hardware Configuration:</b>
<b>Needs QA:</b>	Yes	<b>ChangeLog Required:</b> No
<b>Needs Doc:</b>	Yes	
<b>Description</b>		
Remove all the ports we don't have GUI support for that aren't dependencies of other ports.		

#### History

##### #1 - 12/13/2010 11:52 PM - Anonymous

- Status changed from Unscreened to Closed

##### #2 - 05/23/2015 11:30 PM - Jordan Hubbard

- Target version deleted (2)

##### #3 - 10/16/2015 01:25 AM - Kris Moore

Commit: 7b2ae9c8264ac11b252f53605d5d3de3275a84d3

<https://github.com/pcbsd/freebsd-ports/commit/7b2ae9c8264ac11b252f53605d5d3de3275a84d3>

Author: Bernard Spil <[Sp1l@users.noreply.github.com](mailto:Sp1l@users.noreply.github.com)>

Date: 2015-10-16 (Fri, 16 Oct 2015)

Log Message:

-----  
Merge pull request [#25](#) from pcbsd/master

Pull in latest from PC-BSD ports tree

##### #4 - 02/04/2016 05:53 AM - Kris Moore

Commit: 3bd19b1310a12a6bae51db5d7ca2d6a6ed1aed17

<https://github.com/pcbsd/freebsd-ports/commit/3bd19b1310a12a6bae51db5d7ca2d6a6ed1aed17>

Author: truckman <[truckman@FreeBSD.org](mailto:truckman@FreeBSD.org)>

Date: 2016-02-03 (Wed, 03 Feb 2016)

Log Message:

-----  
Upgrade net/nmsg to 0.11.0:

nmsg (0.11.0)

[ Henry Stern ]

- Add an interval randomization option that randomizes the initial offset within the selected time interval. This functionality is exposed via the libnmsg `nmsg_io_set_interval_randomized()` function and the `nmsgtool -R / --randomize` command-line option ([#27](#), [#33](#)).
- Add documentation for `nmsgtool -j / --readjson` and `-J / --write-json` command-line options ([#26](#), [#28](#)).
- Add `PKG_CHECK_MODULES` dependency on `yajl >= 2.1.0` ([#29](#), [#31](#)).
- Make `nmsgtool -k / --kicker` work when combined with `-c` or `-t`, when producing output in JSON format ([#25](#), [#38](#)).
- Fix compiler warning `[-Wtautological-compare]` in `_nmsg_msgmod_json_to_payload_load()` ([#36](#), [#39](#)).
- Add `nmsg_message_get_num_field_values()`, `nmsg_message_get_num_field_values_by_idx()` functions ([#5](#), [#40](#)).

[ Robert Edmonds ]

- Remove the unused enum `nmsg_modtype` from the internal libnmsg API ([#30](#)).
- Header file cleanups ([#14](#), [#34](#)).
- Rewrite `nmsg_res_lookup()` to use a switch, which eliminates a Clang warning ([#14](#), [#35](#)).
- Add a message filtering capability to the libnmsg I/O loop, including external filter module plugin and `nmsgtool` support ([#41](#), [#43](#), [#44](#)).

[ Mike Schiffman ]

- Add `yajl/` prefix to `#include`'s of `yajl` headers ([#37](#))

Pet portlint

Sponsored by: Farsight Security, Inc.

**#5 - 02/04/2016 05:54 AM - Kris Moore**

Commit: 3bd19b1310a12a6bae51db5d7ca2d6a6ed1aed17

<https://github.com/pcbsd/freebsd-ports/commit/3bd19b1310a12a6bae51db5d7ca2d6a6ed1aed17>

Author: truckman <[truckman@FreeBSD.org](mailto:truckman@FreeBSD.org)>

Date: 2016-02-03 (Wed, 03 Feb 2016)

Log Message:

-----

Upgrade net/nmsg to 0.11.0:

nmsg (0.11.0)

[ Henry Stern ]

- Add an interval randomization option that randomizes the initial offset within the selected time interval. This functionality is exposed via the libnmsg `nmsg_io_set_interval_randomized()` function and the `nmsgtool -R / --randomize` command-line option ([#27](#), [#33](#)).
- Add documentation for `nmsgtool -j / --readjson` and `-J / --write-json` command-line options ([#26](#), [#28](#)).
- Add `PKG_CHECK_MODULES` dependency on `yajl >= 2.1.0` ([#29](#), [#31](#)).
- Make `nmsgtool -k / --kicker` work when combined with `-c` or `-t`, when producing output in JSON format ([#25](#), [#38](#)).
- Fix compiler warning [-Wtautological-compare] in `_nmsg_msgmod_json_to_payload_load()` ([#36](#), [#39](#)).
- Add `nmsg_message_get_num_field_values()`, `nmsg_message_get_num_field_values_by_idx()` functions ([#5](#), [#40](#)).

[ Robert Edmonds ]

- Remove the unused enum `nmsg_modtype` from the internal libnmsg API ([#30](#)).
- Header file cleanups ([#14](#), [#34](#)).
- Rewrite `nmsg_res_lookup()` to use a switch, which eliminates a Clang warning ([#14](#), [#35](#)).
- Add a message filtering capability to the libnmsg I/O loop, including external filter module plugin and `nmsgtool` support ([#41](#), [#43](#), [#44](#)).

[ Mike Schiffman ]

- Add `yajl/` prefix to `#include`'s of `yajl` headers ([#37](#))

Pet portlint

Sponsored by: Farsight Security, Inc.

**#6 - 01/09/2018 11:24 AM - iXsystems Bot**

Commit: 7f57a8d710a2084a6a7ecb6e733461f687c09a96

<https://github.com/freenas/samba/commit/7f57a8d710a2084a6a7ecb6e733461f687c09a96>

Author: John Hixson <[john@ixsystems.com](mailto:john@ixsystems.com)>

Date: 2018-01-09 (Tue, 09 Jan 2018)

Log Message:

-----

Merge pull request [#25](#) from freenas/freenas/master-samba-revert-Parse-pidl

Freenas/master samba revert parse pidl