

FreeNAS - Feature #29

Validate GUI with Chrome

11/19/2010 06:10 AM - Mahdi -

Status: Closed	Estimated time: 0.00 hour
Priority: Important	
Assignee:	
Category: GUI (new)	
Target version:	
Severity:	Needs Merging: Yes
Reason for Closing:	Needs Automation: No
Reason for Blocked:	Support Suite Ticket: n/a
Needs QA: Yes	Hardware Configuration:
Needs Doc: Yes	
Description Navigation buttons are quite screwy in Chrome.	

History

#1 - 11/22/2010 07:30 PM - Jonas Jonsson

Seems there's a init failure of the web framework (client-side, dojango, dojo or whatever it's called) resizing the window (resize event) fixes the GUI.

#2 - 12/02/2010 11:48 PM - Anonymous

It appears defining the height as a percentage causes this bug in Opera, Konqueror, and Chromium (running on PC-BSD 8.1).

Setting a fixed pixel height appears to have solved the issue across all browsers, including Safari on the iPad. However, I foresee future problems for people with a long list of shares...

With that in mind, I will continue my search for the most appropriate method.

#3 - 12/02/2010 11:48 PM - Anonymous

- Status changed from Unscreened to Closed

#4 - 05/23/2015 11:30 PM - Jordan Hubbard

- Target version deleted (2)

#5 - 09/16/2015 12:09 PM - Kris Moore

Commit: 0d3f2470c91f6398e520967f4c085fadc02c0e3d

<https://github.com/pcbbsd/freebsd-ports/commit/0d3f2470c91f6398e520967f4c085fadc02c0e3d>

Author: Kris Moore <kris@pcbsd.org>

Date: 2015-09-16 (Wed, 16 Sep 2015)

Log Message:

Merge pull request [#29](#) from Sp11/master

Fix no-ssl3 build for some ports

#6 - 09/16/2015 12:23 PM - Kris Moore

Commit: a74ceda47400f49af905362057bd0a87c458b79f

<https://github.com/pcbsd/freebsd-ports/commit/a74ceda47400f49af905362057bd0a87c458b79f>

Author: Bernard Spil <Sp1l@users.noreply.github.com>

Date: 2015-09-16 (Wed, 16 Sep 2015)

Log Message:

Merge pull request [#10](#) from pcbsd/master

Merge pull request [#29](#) from Sp1l/master

#7 - 11/11/2015 03:40 AM - Kris Moore

Commit: 1cfd25f45cb3cedc332b267544c2be307133dd53

<https://github.com/pcbsd/freebsd-ports/commit/1cfd25f45cb3cedc332b267544c2be307133dd53>

Author: Bernard Spil <Sp1l@users.noreply.github.com>

Date: 2015-10-25 (Sun, 25 Oct 2015)

Log Message:

Merge pull request [#29](#) from pcbsd/master

Align with latest upstream

#8 - 11/27/2015 11:52 AM - Kris Moore

Commit: eac0d507dbc63514e8124244009d68a5a0786687

<https://github.com/pcbsd/freebsd-ports/commit/eac0d507dbc63514e8124244009d68a5a0786687>

Author: pawel <pawel@FreeBSD.org>

Date: 2015-11-24 (Tue, 24 Nov 2015)

Log Message:

Update to version 0.2.0

Changelog:

- quiet batch mode (not available on OSX) - [#13](#)
- bugfixes in Napisy24 engine - [#23](#)
- icons placed at directories according to their sizes - [#24](#)
- HiDPI display awareness (OSX) - [#27](#)
- support for paths containing special characters (Windows) - [#28](#)
- bugfixed SRT conversion adding empty lines to resulting file (Windows) - [#29](#)
- application self-closing in batch mode (OSX) - [#31](#)
- added version information to .exe file (Windows) - [#32](#)
- bugfixes in file encoding detection (UTF-8 with BOM amongst others) - [#34](#)
- preserving original file encoding during subtitle format conversion
- bugfixed backup language support - [#36](#)

#9 - 02/04/2016 05:53 AM - Kris Moore

Commit: 3bd19b1310a12a6bae51db5d7ca2d6a6ed1aed17

<https://github.com/pcbsd/freebsd-ports/commit/3bd19b1310a12a6bae51db5d7ca2d6a6ed1aed17>

Author: truckman <truckman@FreeBSD.org>

Date: 2016-02-03 (Wed, 03 Feb 2016)

Log Message:

Upgrade net/nmsg to 0.11.0:

nmsg (0.11.0)

[Henry Stern]

- Add an interval randomization option that randomizes the initial offset within the selected time interval. This functionality is exposed via the libnmsg `nmsg_io_set_interval_randomized()` function and the `nmsgtool -R / --randomize` command-line option ([#27](#), [#33](#)).
- Add documentation for `nmsgtool -j / --readjson` and `-J / --write-json` command-line options ([#26](#), [#28](#)).
- Add `PKG_CHECK_MODULES` dependency on `yajl >= 2.1.0` ([#29](#), [#31](#)).
- Make `nmsgtool -k / --kicker` work when combined with `-c` or `-t`, when producing output in JSON format ([#25](#), [#38](#)).
- Fix compiler warning [-Wtautological-compare] in `_nmsg_msgmod_json_to_payload_load()` ([#36](#), [#39](#)).
- Add `nmsg_message_get_num_field_values()`, `nmsg_message_get_num_field_values_by_idx()` functions ([#5](#), [#40](#)).

[Robert Edmonds]

- Remove the unused enum `nmsg_modtype` from the internal libnmsg API ([#30](#)).
- Header file cleanups ([#14](#), [#34](#)).
- Rewrite `nmsg_res_lookup()` to use a switch, which eliminates a Clang warning ([#14](#), [#35](#)).
- Add a message filtering capability to the libnmsg I/O loop, including external filter module plugin and `nmsgtool` support ([#41](#), [#43](#), [#44](#)).

[Mike Schiffman]

- Add `yajl/` prefix to `#include`'s of `yajl` headers ([#37](#))

Pet portlint

Sponsored by: Farsight Security, Inc.

#10 - 02/04/2016 05:54 AM - Kris Moore

Commit: 3bd19b1310a12a6bae51db5d7ca2d6a6ed1aed17

<https://github.com/pcbsd/freebsd-ports/commit/3bd19b1310a12a6bae51db5d7ca2d6a6ed1aed17>

Author: truckman <truckman@FreeBSD.org>

Date: 2016-02-03 (Wed, 03 Feb 2016)

Log Message:

Upgrade net/nmsg to 0.11.0:

nmsg (0.11.0)

[Henry Stern]

- Add an interval randomization option that randomizes the initial offset within the selected time interval. This functionality is exposed via the libnmsg `nmsg_io_set_interval_randomized()` function and the `nmsgtool -R / --randomize` command-line option ([#27](#), [#33](#)).
- Add documentation for `nmsgtool -j / --readjson` and `-J / --write-json` command-line options ([#26](#), [#28](#)).
- Add `PKG_CHECK_MODULES` dependency on `yajl >= 2.1.0` ([#29](#), [#31](#)).
- Make `nmsgtool -k / --kicker` work when combined with `-c` or `-t`, when producing output in JSON format ([#25](#), [#38](#)).
- Fix compiler warning [-Wtautological-compare] in `_nmsg_msgmod_json_to_payload_load()` ([#36](#), [#39](#)).
- Add `nmsg_message_get_num_field_values()`, `nmsg_message_get_num_field_values_by_idx()` functions ([#5](#), [#40](#)).

[Robert Edmonds]

- Remove the unused enum `nmsg_modtype` from the internal libnmsg API ([#30](#)).
- Header file cleanups ([#14](#), [#34](#)).
- Rewrite `nmsg_res_lookup()` to use a switch, which eliminates a Clang warning ([#14](#), [#35](#)).
- Add a message filtering capability to the libnmsg I/O loop, including external filter module plugin and `nmsgtool` support ([#41](#), [#43](#), [#44](#)).

[Mike Schiffman]

- Add `yajl/` prefix to `#include`'s of `yajl` headers ([#37](#))

Pet portlint

Sponsored by: Farsight Security, Inc.

#11 - 01/30/2018 07:01 AM - iXsystems Bot

Commit: 49be218ddf1ddd7c9e97d30e2a6225e3181b2ff8

<https://github.com/freenas/samba/commit/49be218ddf1ddd7c9e97d30e2a6225e3181b2ff8>

Author: Kris Moore <kris@pcbsd.org>

Date: 2018-01-30 (Tue, 30 Jan 2018)

Log Message:

Merge pull request [#29](#) from freenas/jenkins-pipeline

Add pipeline support to freenas/samba repo